

[LimeWire](#)

version 5.5.8

- [Download](#)
- [Features](#)
- [Support](#)
- [About](#)
- [Open Source](#)
- [Wiki](#)
- [Forum](#)
- [Tech Blog](#)
- [Music Blog](#)
- [Careers](#)

[Wiki](#) [Edit this Wiki Page](#)

- Search

This is part of [GhostWhiteCrab](#)

GhostWhiteCrab Config UHC Only

Example UDP only configuration file from the software download.

```
# Below are the settings for Crab for use as UHC only.
# See example.conf for the complete set of options.

# UHC support refers to UDP Host Cache support which means that peers can
# acquire addresses through UDP. Also if a cached peer address expires, Crab
# will send a UDP Gnutella Ping to check whether its still alive and extend
# the lease if it replies.

support_uhc          true
support_gwc          false

# The UDP port to listen on. Ports below 1024 are not acceptable due to
# security reasons. Choose a unprivileged random port.
#uhc_port             <no default>

# UHCs should be known by a fully-qualified domain name rather than an
# IP address.
#uhc_hostname          uhc.example.com
#uhc_bind_address      "0.0.0.0"
#uhc_bind6_address     "::-"

#uhc_peers_per_pong    50          # Replies should not exceed ~500 bytes
#uhc_pongs_per_sec     20          # Global PONG throttle (NOT per host)
#uhc_pong_timeout_msec 60000       # 1 minute; time to reply to a PING
#uhc_lock_time         600         # 10 minutes; lock time per host

# These are the paths of the files in which Crab stores persistent data. All
# of them must be set and point to accessible files.
peer_cache            ~uhc/db/peer_cache
```

```

# Log files
# If unset /dev/null is used resp. no log output created.
log_main          ~uhc/logs/main.log
#log_uhc          ~uhc/logs/uhc.log

# The value of "address_filter" must be the pathname of a file containing a
# list of IPv4 address ranges to block. Crab will not connect to an address
# with matches a listed range and will close incoming connections from such
# immediately.
#
# The format is:
#      <address>[<CIDR mask>|<IPv4 mask>]
# Examples:
#      127.0.0.1
#      192.0.2.0/24
#      192.0.2.0/255.255.255.0
#
#address_filter    /path/to/file

# Fine tuning (values show the defaults)
#max_cached_peers  10000    # Max. amount of peer addresses to be stored

# You might want to increase these if your system has very low defaults
# which could cause unnecessary packet loss.
#udp_rcvbuf_size   0        # See setsockopt(2) for SO_SNDBUF.
#udp_sndbuf_size   0        # See setsockopt(2) for SO_RCVBUF.

# The default is to deny any request for a certain network i.e., it's
# implicitly "gnutella". UDP Hostcaches are specific to Gnutella.
network_id         gnutella    # Alphanumeric network ID

```

Retrieved from "http://wiki.limewire.org/index.php?title=GhostWhiteCrab_Config_UHC_Only"

- [Copyright Information](#)
- [About Using P2P Software Safely](#)
- [Privacy Policy](#)

You may not use LimeWire for copyright infringement, nor discuss such activity here.

Software released under the [GNU General Public License](#). Content available under [Creative Commons Attribution 3.0](#).

This page was last modified 12:26pm, 27 August 2009, and has been accessed 625 times. [Category](#): [GhostWhiteCrab](#)

